

**TOWN OF KENT  
TOWN BOARD MEETING  
Tuesday, October 1, 2019**

**Executive Session** – 6:00 p.m.

to discuss matters leading to the appointment, employment, promotion, demotion, discipline, suspension, dismissal or removal of a particular person or corporation

**Public Hearing** – 7:00 p.m.

Demolition of building at TM# 33.35-1-46

**Workshop**

1. Pledge of Allegiance
2. Discussion regarding Zoning Code change for building height in IOC
3. Distribution of Tentative Budget
4. Kent Police Department – tow fee schedule policy
5. Recreation – shed for Huestis Park
6. Fire Inspector – fire permit for Kent Historical Society
7. Sanitation – purchase of new truck
8. Code Enforcer – correct violations at TM# 33.50-1-42 and TM# 33.50-1-44
9. Putnam County Outreach Worker Contract
10. Announcements
11. Public Comment

**Meeting**

1. Roll Call
2. Vote on the following:
  - a. Shed for Huestis Park
  - b. Fire permit for Kent Historical Society
  - c. Purchase of sanitation truck
  - d. Contract to correct violations at TM# 33.50-1-42 and TM# 33.50-1-44
  - e. Outreach Worker contract
3. Correspondence
4. Vouchers and Claims
5. Public comment

**NOTICE OF VIOLATION- ORDER TO REMEDY**September 11, 2019**VIA PERSONAL DELIVERY**

Estate of William Kircher, by Thomas Chenet, Executor  
196 Willis Avenue  
Hawthorne, New York 10532

Re: Notice of Unsafe Conditions;  
Record Owner: William Kircher, Deceased January 11, 2018  
Premises: 69 Clubhouse Drive  
Kent, New York 10512  
Tax Map: 33.35-1-46

Dear Sir,

**PLEASE TAKE NOTICE** that the above described premises, consisting of a single family residence, have been determined to be in violation of the Town of Kent Building Code as described below:

- i) the structure is unfit for the purpose for which it may lawfully be used;
- ii) the structure has or may become a place of rodent infestation;
- iii) the structure is a potential fire hazard;
- iv) the Premises is laden with debris; and
- v) the structural members are inadequate to support the structure.

We previously advised you that corrective measures should be taken no later than January 12, 2019. To date, none have commenced.


**Please be advised, therefore, the following corrective measures must be begun within thirty days of service of this Notice and completed within sixty days of service of this notice: Obtain a demolition permit and remove all unsafe structures.**

**If measures are not commenced within thirty days of the service of this notice as required pursuant to Chapter 29 of the Town Code of the Town of Kent, then consistent with its rights, the Town will take such action as necessary to make such property safe again and the expenses of such repair or demolition shall be a charge against the land on which the Premises is located and shall be assessed, levied and collected pursuant to Section 29-10 of the Town Code.**

---

Notice is hereby given that, consistent with Chapter 29 of the Kent Town Code, a public hearing is hereby scheduled before the Kent Town Board on October 1, 2019 at 7:00 pm to address the safety concerns associated with the property and take such further action as the Town Board deems necessary.

Sincerely,

A handwritten signature in cursive script, appearing to read "Wm. Walters", written over a horizontal line.

William Walters,  
Building Inspector

*Town of Kent, NY  
Monday, September 30, 2019*

## Chapter 77. Zoning

### Article VIII. Industrial-Office-Commercial District

#### § 77-25. Lot and bulk requirements.

- A. The minimum lot area shall not be less than 60,000 square feet.
- B. The minimum lot width, measured at the street line, shall not be less than 200 feet.
- C. The minimum highway frontage shall not be less than 200 feet as measured along a single unbroken linear length at the street line.
- D. The maximum building coverage shall not exceed 50% of the total lot area.
- E. The maximum impervious surface coverage shall not exceed 75% of the total lot area.
- F. Minimum yards. Yards shall have the following minimum setbacks.
  - (1) Front yard: 40 feet.
  - (2) Each side yard: 20 feet.
  - (3) Rear yard: 40 feet.
- G. Minimum distance from accessory building or uses, including off-street parking and loading, to any property line shall not be less than 25 feet.
- H. Maximum building height is three stories or 40 feet.
- I. Each lot shall be a buildable lot as set forth in § **77-34.3**.

# POLICE DEPARTMENT

## Town of Kent

40 SYBIL'S CROSSING, CARMEL, NEW YORK 10512

Address All Communications

To: Chief of Police

kentpolice@townofkentny.gov

Emergency: (845) 225-4600

Office: (845) 225-5646

Fax: (845) 306-5288

9/26/19


Supervisor Fleming & Kent Town Board  
Town of Kent  
25 Sybil's Crossing  
Carmel, NY 10512

Dear Supervisor Fleming & Kent Town Board,

The Town of Kent Police Department has received several complaints about the high fees that tow companies have been charging when they respond to accidents and impounds. The Town of Kent Police Department currently uses a rotating list of tow companies to respond to accidents and impounds in the Town of Kent, the police department list is used unless the person involved (owner of vehicle involved in an accident) requests a particular tow company.

In an effort to assist our residents and others who may need a tow company we have come up with the following (draft) policy/fee schedule (see attached) for tow companies that respond at the request of the Town of Kent Police Department. It is my understanding that the fee schedule needs Town Board approval before it may be implemented. Please see attached for discussion.

Respectfully,



Chief Kevin R Owens

*Serving Our Community 24 Hours A Day*

The following have been found to be reasonable as a **maximum** charge for Police related vehicle tows for vehicles that have been involved in an accident, disabled, or are being impounded by the Town of Kent Police Department. These charges do not include towing for any type of heavy equipment, large commercial vehicles/trucks or other types of specialized vehicles. Any vehicle requiring the driver have a Class A, B, or C commercial driver's license to operate that vehicle is outside the scope of this policy and charges will be at the discretion of the towing agency.

Tow Agencies within a 5 mile radius of the Town of Kent Police Department may apply to be on the rotational tow list. Agencies that are approved must agree and adhere to the following rules and charges:

- 1) All tow vehicles must be up to date with all NYS registration, inspection and DOT regulations.
- 2) Tow agencies are confirming that their place of business is within a (5) mile radius of the Town of Kent Police Department
- 3) Tow agencies agreeing to respond for a vehicle Tow or Winch Out must be on location within 25 minutes. Agencies found to be responding in an untimely manner on (3) or more occasions in a (6) month period will be subject to removal or suspension from the Town of Kent Police Rotational Tow List. This decision will be at the discretion of the Chief of Police. Exceptions will be made during times of severe weather or other extenuating circumstances
- 4) Tow agencies will be placed on a rotational list for Kent Police calls for tows only, if your business is unable to respond, or cannot be on location within the 25 minute time period, you will be passed over and the next business on the list will be called. When a tow agency agrees to respond, the next business on the list will be first to be called for the next incident.

**Impound/Accident Tow:** \$225 Hook-Up fee / \$5 per mile

**Disabled Vehicle Tow:** \$125

**Winch Out:** \$95 for the first 15 minutes on scene, anything exceeding 15 minutes will be billed at \$125 per 30 minutes on scene

**Storage:** \$75 per day for outdoor storage, if indoor storage is requested by the vehicle owner, charges shall be at the tow agency's discretion.

**Clean-Up Fee:** 35.00 per half hour

Additional Charges May apply if a tow from an accident scene is outside the scope of a simple incident which would prove to be more labor intensive.

**Tamara Harrison**

---

**From:** Recreation  
**Sent:** Monday, September 30, 2019 2:48 PM  
**To:** Tamara Harrison  
**Subject:** Shed for Huestis Park  
**Attachments:** Shed Quotes 2019.pdf

Tamara,

As per my discussions with Bill Huestis and Maureen, attached please find three quotes for a 12' x 12' wood shed to be placed at Huestis Park this fall. We currently have no storage at the park and both Bill and Maureen agree that this purchase is a must to help us continue our improvement efforts at Huestis Park and increase the efficiency of our parks' staff. I have spoken with Building Inspector Bill Walters and he will be granting us the permit for this structure upon your approval of the purchase.

With that said, it is my recommendation that we accept the quote from Best in Backyards. They came in with the lowest price at \$4323.00 and have a very strong reputation in Putnam County. I was impressed by their customer service and also take comfort in the fact that they are local and thus can handle any issues we have in a timely manner.

Should you or any of the board have any questions with respect to this purchase, please let me know.

Thanks,

**Jared Kuczenski**


*Acting Director of Rec & Parks*

*Kent Recreation & Parks*

*845-531-2100*



## Shed Order Form

DATE: 9-26-2019NAME: Jared KuczenskiADDRESS: 178 Farmers Mills Rd.

Customer Service Tel.# 877-543-4969

Email: customerservice@bestinbackyards.com

CITY, STATE, ZIP: Kent NYSALES REP: Naim

HOME TELEPHONE #: \_\_\_\_\_

STORE: MahopacWORK OR CELL #: 845-531-2100

INQUIRY: \_\_\_\_\_

EMAIL: recreation@townofkentny.govModel: Backyard A-Frame Size: 12' x 12'Siding: T-111 Price: \$4017.circle for  
duratemp  
onlyCross  
BuckNO  
Cross  
Buck45°  
Country  
Trim1- 6'x5' Ramp + \$180.3- 12'FT shelves + \$327.

SHIP DATE: \_\_\_\_\_

## COLOR CHOICE ITEMS

Siding: Cream Trim: Beige

Single Hung w/grid: \_\_\_\_\_

Architectural Shingles: \_\_\_\_\_

Wood Shutters: \_\_\_\_\_

Vinyl Shutters: \_\_\_\_\_

Flower Box: \_\_\_\_\_

Fiberglass Door(Vinyl Sheds): \_\_\_\_\_

Flower Box: \_\_\_\_\_

## Comments:

- NO Windows -Quote good until 10/10/19\$200. off if paid with:  
credit card, cash or check.\$400. off any 12'FT wide) Sub Total: \$4124.

Build On Site

circle one


Pre-Built

Build on site sheds must have truck access to shed location within 75'. Clear of all obstructions, trees, shrubs, overhead wires, rock walls, etc. Any distances further than 75 ft. will incur an additional charge which will be added at time of delivery.


Pre-built sheds must have truck access right up to shed location. Clear of all obstructions, trees, shrubs, overhead wires, rock walls, etc.

Double Door | DP |Window | W |Single Door | SD |

12'



Top View



Drivers side

Top View

Prepared shed site should be free of stumps, rocks, mud or any other debris that may make it difficult for proper installation to be done. Slope of property should be minimal and we recommend not to exceed 12" from the highest to lowest point. Purchaser will assume all responsibility for stability of shed if site is not prepared. If installation can not be done a re-delivery fee off \$150 will be charged and must be paid at time of first attempted delivery. If a second delivery can not be completed all of deposit will be forfeited. One weeks notice must be given for rescheduling after agreed delivery time is set. If less than one weeks time is given for rescheduling a \$75 charge will be added to your invoice. Shed orders cannot be changed or canceled 48 hours after order is placed. Cancellations are subject to a minimum 5% cancellation fee and or loss of deposit. Once building is read for delivery balance of payment must be paid in full and delivery must be taken at agreed upon time. A storage fee of \$25 per week will apply if ship date is postponed. All products are property of Eastern Jungle Gym until all paid in full money is cleared. Eastern Jung Gym is not responsible for permits, preparation or any damage to property from delivery or installation. This includes lawns, septic, sprinklers, feilds, or underground pipes and similar.

DELIVERY & INSTALLATION: \$199.

X \_\_\_\_\_  
(I have read front and back and agree to all terms outlined in this agreement.)

PAYMENT: CK# \_\_\_\_\_ VISA - MASTER - DISCOVER - AMEX

CARD# \_\_\_\_\_ EXP. \_\_\_\_\_

I have received my shed leveled in place. It is my responsibility if property settles and shed needs re-leveling. X \_\_\_\_\_

SUBTOTAL: \$4323TAX: Exempt ID:TOTAL: \$4323.

DEPOSIT: \_\_\_\_\_

(Deposits are for pending orders only. Orders must be paid in full when scheduled)



BALANCE DUE: \_\_\_\_\_





Web Quote Number #: 1608520

Created: Sep 26, 2019 2:01:00 PM



### Customer Information

Jared Kuczenski  
25 Sybils Crossing  
Carmel Hamlet, NY 10512  
recreation@townofkentny.gov

### Shipping Information

Jared Kuczenski  
178 Farmers Mills Rd  
Carmel Hamlet, NY 10512

Description	Qty	List Price	Discount	Ext Net Price
TR-700 12 x 12	1/Ea	\$3690.00	\$0.00	\$3690.00
3' x 6'2" Double Shed Door (6')	1/Ea	\$155.00	\$0.00	\$155.00
Door - Decorative Double Door Trim - Crossbuck	1/Ea	\$59.00	\$59.00	\$0.00
Door - Drip Cap (6')	1/Ea	\$50.00	\$0.00	\$50.00
Pair of Regular-Duty Steel Ramps and Sill Nosing	1/Ea	\$105.00	\$105.00	\$0.00
Paint - Bulletin Board	346/Ea	\$0.00	\$0.00	\$0.00
Paint - Maison De Campagne	1/Ea	\$0.00	\$0.00	\$0.00
PAINT TR-700, TR-800 12' WIDE	1/Ea	\$430.00	\$0.00	\$430.00
Hickory Lifetime	165/Sq Ft	\$0.00	\$0.00	\$0.00
Lifetime Shingle Upgrade	165/Sq Ft	\$1.00	\$1.00	\$0.00
Shelving - 12" deep	36/Lin Ft	\$4.15	\$0.00	\$149.40
16"x8" Wall Vent - Brown	2/Ea	\$21.00	\$0.00	\$42.00
Generator Rental	1/Ea	\$100.00	\$0.00	\$100.00
Leveling 0"-4"	1/Ea	\$0.00	\$0.00	\$0.00
Delivery Fee	1/Ea	\$0.00	\$0.00	\$0.00
List Price				\$4945.40 USD
Discount				\$329.00 USD
Subtotal				\$4616.40 USD



816 Route 22  
Pawling, NY 12564

## Quote

Date	Quote #
9/30/2019	8319k

Name / Address
Town of Kent NY Jared Kuczenski 10512

Description	Cost	Qty	Total
12x12 Classic Cape Signature Series Siding: Duratemp Exterior: Almond Trin: Chestnut Roof Color: Cedar Shingle  Standard on The Shed Haus Signature Sheds: Gable Vents Pressure Treated Flooring Diamond Plated Door Threshold 30 year Architectural Grade Roof Shingles with Tar Paper	4,771.00		4,771.00
Shelf - 1' x 12'. 95 each	95.00	3	285.00
Wider Double Doors to 6 foot opening	85.00		85.00
Delivery	98.00		98.00
*estimated delivery fee within 30 miles to delivery location*			
Sales Tax	8.125%		0.00
Signature _____			
<b>Total</b>			<b>\$5,239.00</b>
Phone #	E-mail	Web Site	
845-855-5989	info@theshedhaus.com	www.theshedhaus.com	



# Town of Kent Building Department OPERATING PERMIT

This Operating Permit must be displayed at Premises

Application #: 2-1-13

RECEIVED  
KENT TOWN OF KENT  
2019 SEP 26 AM 9:12

Application's Name: Kent Historical Society

Applicant's Address: PO Box 123 - Carmel NY 10512

Contact Person: Clark Darling

Telephone: 845-225-4530

Address of Premises for which Operating Permit is requested:

☐ Same as above

☒ Other (specify): 1374 Route 52, Carmel, New York 10512

Date of Issuance: October 12, 2019 (Rain Date October 13, 2019) Expiration: October 13, 2019 (Rain Date October 14, 2019)

This Operating Permit is issued to the Applicant named above to conduct the activity(ies) and/or to use the class(es) of buildings indicated below at the Premises specified above:

- ☐ Cutting & Welding Operations - International Fire Code - 3501.2
- ☐ Manufacturing, storing or handling hazardous materials in quantities exceeding those listed in Tables 5003.1.1(1), 5003.1.1(2), 5003.1.1(3) or 5003.1.1(4), of the International Fire Code (see 19 NYCRR Part 1225); as described in the Application.
- ☐ Conducting a hazardous process or activity; as described in the International Fire Code. 104.1 & 2301.1
- ☐ Use of pyrotechnic devices in assembly occupancies; as described in the Application
- ☒ Use of a building containing one or more areas of public assembly with an occupant load of 100 persons or more; as described in the Application. (Temporary Tag Sale)
- ☒ Use of a building whose use or occupancy classification has been determined by Town of Kent Building Department as posing a substantial potential hazard to public safety; as described in the Application.

The conditions, surroundings and arrangements for the activity(ies) and/or use(s) subject to this Operating Permit shall be in accordance with all applicable laws, ordinances, regulations and the conditions (if any) mentioned below. The Premises shall be subject to periodic inspection by Town of Kent Building Department to ensure compliance with all applicable laws, ordinances, regulations and conditions. The Operating Permit is subject to revocation for failure to comply with any applicable law, ordinance, regulation or condition. This Operating Permit shall expire on the earlier of the Expiration Date specified above or on the date of revocation pursuant to the preceding sentence. CONDITIONS (continue on attached sheets, if necessary):

TOWN OF KENT BUILDING DEPARTMENT

By: Nicholas J. Cecere  
Nicholas J Cecere, Fire Inspector



*Lake Carmel Sanitation*

Eugene Livulpi, General Foreman

62 Ludington Court

Kent Lakes, New York 10512

(845) 225-7030

Fax (845) 225-9464

[sanitation@townofkentny.gov](mailto:sanitation@townofkentny.gov)

Maureen Fleming, Town of Kent Supervisor  
25 Sybil's Run  
Carmel Hamlet, NY 10512  
August 6, 2019

To Maureen Fleming and the Kent Town Board:

I would like to replace the 2011 Mac cab-over-garbage-truck, as it is over 10 years old, but we will keep it as a spare. Nick Mancuso will bid out the 2005 10-wheeler sanitation truck.

The 2011 Mac truck is in violation of the NYS Department of Labor, which requires 3-person seating with seat belts. The new purchase will rectify this situation, while keeping the former truck as a spare vehicle only.

There is money in the fund balance for this purchase; the auctioned truck will turn a small profit. The Sanitation Department will prove to be in good shape for the next several years for large vehicle purchases.

I look forward to receiving the Town of Kent's response to this purchase request.

Sincerely,

Eugene Livulpi





*Municipal Repairs Department*

Nicholas Mancuso, Automotive Service Manager

62 Ludington Court

Kent Lakes, New York 10512

(845) 225-6612

Fax (845) 225-9464

[municipalrepairs@townofkentny.gov](mailto:municipalrepairs@townofkentny.gov)

Maureen Fleming, Town of Kent Supervisor  
25 Sybil's Crossing  
Carmel Hamlet, NY 10512  
September 9, 2019

To Maureen Fleming, the Kent Town Board and Eugene Livulpi, Sanitation Crew Chief:

I spoke to Eugene Livulpi regarding the new truck purchase he requested last month. I am in full agreement with this purchase, as stated in his previous letter.

Enclosed please find a copy of the contract price and spec sheet for a brand new sanitation truck for the Town of Kent.

Pricing as follows:

Contract Price Sheet Oneida County Heavy Truck Class 8 Statewide Contract #2025

Mack Granite 64BR-MHD Model Year 2020-21: \$115,678.82

Contract Price Sheet Sourcewell Contract Award #112014

New Way Cobra 25 YD Rear Loader \$65,074.46

Total Price: \$180,753.28

Please don't hesitate to contact me with any questions.

Sincerely,

  
Nick Mancuso  
Automotive Service Manager

## Long Island Sanitation Equipment Co.

1670 New Highway, Farmingdale, NY 11735 • Tel: 831-531-9292 • Fax: 831-531-9333



July 19, 2019

Quote #: 071919SC

Town of Kent  
62 Ludington Court  
Carmel, NY 10512

**RE: SOURCEWELL CONTRACT AWARD #112014-NWY SCRANTON MFG. CO.,  
INC./ NEW WAY**

### **ONE (1) NEW - NEW WAY COBRA 25YD. REAR LOADER**

#### **Standard Features to Include:**

- 3.0 Cubic Yard Hopper
- Semi Automatic Cycling
- Auto Back Pack
- Accelerator Kit
- Hydraulic Auto Tailgate Lock
- Back Up Alarm
- Light Bar
- LED Lights, All
- Sight Gauge Hydraulic Oil Tank
- Chrome Rod Cylinders
- Side Access Door
- Driver Alert Buzzer Curbside
- Tailgate Ajar Indicator
- Bolt on Steps on Rear Tailgate
- Prime Paint with Rust Inhibitor
- Color Rear Vision Camera System
- Hydraulic Safety Shut Down Curbside
- Fire Extinguisher -- 10lb (*standard safety*)
- Triangle Kit (*standard safety*)
- Zinc Clear Hydraulic Tubes
- Mounted @ New Way/Scranton Manufacturing in Scranton, Iowa
- Standard New Way Warranty, 1 Year Body and Hydraulics, 2 Year Hydraulic Cylinders

**Also To Include The Following:**

- Auto Transmission Hot Shift PTO with Electronic Overspeed Protector and Gear Pump
- Work Lights Mounted Inside Tailgate (2)
- LED Oval Strobe Lights Mounted on Upper Tailgate (2)
- LED Oval Strobe Lights Mounted at Front of Body (2)
- Body Painted White
- Rubber Mud Flaps Behind and In Front of Rear Axle
- Operator Training

**New Way 25RL Cobra Mounted On Your Suitable Chassis**  
**SOURCEWELL PRICE: \$ 65,074.46      FOB Kent, NY**

**\*PLEASE INCLUDE THE NEW WAY SOURCEWELL CONTRACT AWARD #  
ABOVE AS WELL AS YOUR MEMBER ID # ON YOUR PURCHASE ORDER.**

Thank you for the opportunity to quote on your requirements and we hope to be favored with your order.

Sincerely,

**LONG ISLAND SANITATION EQUIPMENT CO.**  
David Cope  
516-695-1721

**Beam Mack Sales Service, Inc.**  
**6260 E Molloy Rd.**  
**E Syracuse, NY 13057**  
**ONEIDA COUNTY HEAVY TRUCK CLASS 8 STATEWIDE**  
**CONTRACT**  
**# 2025**

**CONTRACT PRICE SHEET FOR GRANITE GR 64BR MHD**

CUSTOMER:

CHASSIS QUOTED:

	Quantity		TOTALS
MACK GRANITE 2020-21 Model YEAR BID PRICE FOR GR 64 FR MHD	1	\$101,000.00	\$101,000.00
Option A: Premium Tech Tool	0	\$2,400.00	\$0.00
Option B: Extended Chassis Warranty 5 YR. 100,000 Mi.	0	\$9,209.00	\$0.00
Option D: Allison 3000RDS 6 Speed	1	\$7,124.00	\$7,124.00
Option F: Allison 4500RDS 6 Speed	0	\$15,785.00	\$0.00
Option J: Marmon Herrington Front Axle MX23-160R 23000 Lb.	0	\$47,500.00	\$0.00
Option L: Set Back Axle (GR 64BR MHD )	1	\$794.00	\$794.00
Add 2nd Drive Axle...(GR64B).....	1	\$13,500.00	\$13,500.00
SUB TOTAL for Bid options...		xxxxxxxxx	\$21,418.00
Additional Options Sub Total		(\$9,107.00)	(\$9,107.00)
Sub Total Options minus 26% discount		xxxxxxxxx	(\$6,739.18)
Non Contract Items:		\$0.00	\$0.00
Municipal Discount		\$0.00	\$0.00
<b>TOTAL PRICE FOR CHASSIS</b>		xxxxxxxxx	<b>\$115,678.82</b>

Sincerely; Greg Angwin



## Chassis Specification

<b>Customer</b>	TOWN OF KENT 62 LUDINGTON CT KENT LAKES 10512-5217 NY	<b>Your ref.</b>	GREGORY ANGWIN
<b>Customer no</b>	6477850448	<b>Quote no.</b>	CONW2019000153A546
<b>Org No</b>		<b>Alternative Id</b>	1
<b>Telephone</b>	8452257030	<b>Date</b>	7/5/2019
<b>Mobile phone</b>		<b>Order Date</b>	
		<b>Last Change</b>	7/5/2019

## Model

				Qty	List Price
<b>GRANITE 64BR MHD</b>				1	141,086.00
<b>CA Status</b> Non-Approved					
<b>Order number</b>					
<b>Price List</b> 2018-08-03					
<b>Delivery Time</b>					
<b>Delivery Address</b>					
<b>Family</b>	<b>ID</b>	<b>S/O</b>	<b>Description</b>		
<b>APPLICATION PACKAGES</b>					
MHD AB CONFIG PKG	PK51720	Option	SLEEVED FUEL TANK, OUTBOARD AIR		
<b>CUSTOMER/VEHICLE INFO</b>					
CHASSIS (BASE MODEL)	0029514	Standard	GRANITE 64BR MHD		
ASSEMBLY PLANT	FACT-US6	Standard	Made in Macungie, PA USA		
PRICE BOOK LEVEL	PB1020A	Standard	2020A Pricebook		
VEHICLE MODEL YEAR	A192020	Option	2020 MODEL YEAR		
CUSTOMER FLEET SIZE	MP20001	Standard	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND		
TYPE OF SERVICE	0130002	Option	MUNICIPAL		
WARRANTY REGISTRATION LOCATION	M981001	Standard	US - WARRANTY REGISTRATION LOCATION		
INITIAL REGISTRATION LOCATION	5051701	Standard	ALL 50 STATES, CARB ENGINE EMISSION (US17)		
LANGUAGE-PUBS/DECAL/SIGNS	5340001	Standard	ENGLISH		
ROAD CONDITION	RC-SMOOT	Standard	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE REFUSE REAR LOADER TRUCK		
VEHICLE USE & BODY/TRAILER TYPE	0059361	Option			
GROSS COMBINATION WEIGHT	UGCW	Standard	TRUCK ONLY - NO TRAILER TOWING PROVISIONS PROVIDED		
BRAKE REGULATION	BREG94	Standard	BRAKE REGULATION, STOPPING DISTANCE 94M (310FT)		
TOPOGRAPHY	T-FLAT	Option	GRADES <3% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 8%		
AMBIENT TEMP UPPER LIMIT	ATU40	Standard	AMBIENT TEMPERATURE HOT, WARMER THAN 104 F (40 C) ALLOWED UP TO 25 HOURS PER YEAR		
TERRAIN GRADE	0320089	Standard	ON-OFF HIGHWAY, STARTING GRADES<18%		

LOADING SURFACE	0330010	Standard	CONCRETE LOADING AND / OR UNLOADING SURFACE	
VEHICLE VOCATION	0340203	Option	REFUSE / NON LANDFILL OPERATION	
PILOT INSPECTION	0220000	Standard	NO PILOT REQUESTED	
<b>ENGINE/TRANSMISSIONS</b>				
ENGINE	1003250	Standard	ISL9-D 350 CUMMINS 350HP @ 2200 RPM (GOV) 1150 LB-FT, US17	
TRANSMISSION	1364511	Standard	3000 RDS 6-SP ALLISON GEN5 W/PROGNOSTICS, WITH PTO PROVISION	
ENGINE GOVERNOR TYPE	EGT-MM	Standard	ENGINE GOVERNOR TYPE MIN-MAX	
<b>EXHAUST/EMISSIONS</b>				
CARB REGULATION DECAL STICKER	CIR0003	Standard	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOWER LH CORNER / DRIVER DOOR CUMMINS SINGLE MODULE E.A.T.S. RH SIDE UNDER CAB US17 (up to 350HP only!!)	
DPF DIESEL PARTICULATE FILTER	DPF0202	Standard		
DPF COVER	DPFC-SSP	Option	DPF COVER STAINLESS STEEL, POLISHED	245.00
DEF TANK	DF12025	Standard	6.6 GALLON (25 L) 22" INTEGRAL TO LH FUEL TANK	
DEF TANK VENTILATION FILTER	UADFLTR	Standard	WITHOUT DEF TANK VENTILATION FILTER	
EXHAUST	1305101	Standard	SINGLE VERTICAL RIGHT SIDE CAB MOUNTED, LOWER VENTURI DIFFUSER, TURNED END	
EXHAUST STACK HEIGHT	EXSTH29	Standard	9' 6" FROM GROUND	
EXHAUST - BRIGHT FINISH	EXMF-STD	Standard	W/O BRIGHT FINISH EXHAUST	
EMISSION ON BOARD DIAG CONTROL	EOBD-U16	Standard	EMISSION OBD, DISPLAY ONLY, USA2016	
<b>ENGINE EQUIPMENT</b>				
AIR CLEANER	1250101	Standard	11" x 30" (279 mm x 762 mm) UNDER HOOD SINGLE ELEMENT DRY TYPE W/AIR INTAKE FROM BOTH SIDES OF HOOD	
AIR INTAKE - INSIDE/OUTSIDE BUG SCREEN	AIS-HDO	Standard	W/O INSIDE/OUTSIDE AIR INTAKE	
	1219001	Standard	BLACK ALUMINUM MOUNTED BEHIND GRILLE, WITHOUT WINTER FRONT COVER	
AIR COMPRESSOR	1134100	Standard	MERITOR/WABCO 318 (18.7 CFM)	
ALTERNATOR	1321228	Standard	DELCO 12V 130A (24SI) BRUSH-TYPE	
BATTERIES	3164104	Standard	(2) MACK 12V 1000/2000 CCA THREADED STUD TYPE	
BATTERY BOX - MOUNTING	3930072	Standard	RH RAIL BEHIND SCR	
BATTERY BOX COVER	BBOXC-BA	Standard	MOLDED PLASTIC	
EMERGENCY START CONNECTIONS	UESS	Standard	W/O EMERGENCY STARTING RECEPT.	
BATTERY DISCONNECT SWITCH	3180013	Option	MAIN SWITCH, MOUNTED INSIDE CAB, GROUND ACCESSIBLE	268.00
STARTER MOTOR	12STR-S2	Standard	12 VOLT DELCO 39MT-MXT	
ENGINE STARTING AID	EST-AID	Standard	ELECTRIC PREHEATER	
COMBUSTION ENGINE BRAKE	1103000	Standard	JACOBS C BRAKE, 2 POSITION	348.00
VEHICLE/TRAILER STOP LAMP APPLICATION (CA)	BRLI-BAS	Standard	VEHICLE AND TRAILER (IF APPLICABLE) STOP LAMPS ACTIVATE UPON SERVICE BRAKE APPLICATION ONLY(3899000)	
FAN DRIVE	1180029	Standard	KYSOR FAN, "ON-OFF"	
COOLANT PROTECTION	1192007	Option	ETHYLENE GLYCOL FULLY FORMULATED COOLANT (50/50 MIX DYED PINK) TO -34DEG	-3.00
HOSES - RADIATOR/HEATER	1240003	Standard	MACK BRAND EPDM RADIATOR & HEATER HOSES	
FUEL-WATER SEPARATOR	2931008	Standard	DAVCO 382, NON-HEATED W/VENDOR PRIMARY	
RELOCATE FUEL FILTER (CA)	FPP-STD	Standard	STANDARD FUEL FILTER POSITION	
FUEL HEATER (CA)	UFUEQWH	Standard	W/O FUEL HEATER	

OIL PAN	OILS-ST	Standard	OIL PAN	
ENGINE BLOCK HEATER	110EBH15	Option	120V 1500W ENGINE BLOCK HEATER	93.00
ENGINE OIL PAN HEATER	UOPHEAT	Standard	W/O OIL PAN HEATER	
TETHER DEV PKG, CAPS & COVERS	UTDCC	Standard	WITHOUT TETHER DEVICE FOR CAPS & COVERS	
ALCOHOL EVAPORATOR	UALEVAP	Standard	W/O ALCOHOL EVAPORATOR	
<b>CLUTCH/TRANS EQUIPMENT</b>				
GEAR SHIFTER	4921003	Standard	ALLISON DASH MOUNTED SHIFTER W/NEUTRAL TO RANGE INHIBIT (HD SERIES)	
CLUTCH	1330000	Standard	OMIT CLUTCH	
CLUTCH PEDAL	UCPEDAL	Standard	W/O CLUTCH PEDAL	
CLUTCH ASSIST (AIR)	UCLAS	Standard	W/O AIR ASSIST	
CLUTCH RELEASE HOSE	ULBLINE	Option	W/O LUBRICATION FITTING	
ENGINE START CONDITION	UESC	Standard	W/O CLUTCH STARTING SWITCH	
DRIVELINE - MAIN	1952003	Option	SPICER 1760 W/COATED SPLINES	43.00
DRIVELINE - INTERAXLE	2042003	Option	SPICER 1710 HD W/COATED SPLINES	13.00
DRIVESHAFT GUARD	UPSBG	Standard	WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING	
DRIVESHAFT MAIN U-JOINT	PSMUJ-HR	Standard	UNIVERSAL JOINT HALF-ROUND TYPE	
DRIVESHAFT INTERAXLE U-JOINT	PSIUJ-HR	Standard	HALF-ROUND UNIVERSAL JOINT	
TRANSMISSION BELL HOUSING	BELLH-AL	Standard	ALUMINUM	
LUBRICANTS, TRANSMISSION	LUBET-ST	Standard	TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS	
TRANSMISSION OIL COOLER	1399006	Standard	FURNISH FOR ALLISON TRANSMISSION W/DIRECT MOUNT COOLER	
TRANSMISSION OIL MONITORING	UTOMRF	Standard	WITHOUT TRANSMISSION OIL MONITORING, REMOTE FITTING	
TRANSMISSION TORQUE CONVERTER	4420009	Option	FURNISH TC421 FOR USE W/ALLISON 3000 SERIES TRANSMISSION	
<b>FRONT AXLE EQUIPMENT</b>				
FRONT AXLE	2401501	Option	20000# (9100 KG) MACK FXL20 WIDE PIVOT CENTER STRAIGHT SPINDLE/UNITIZED BEARINGS	2,273.00
SPRINGS - FRONT	2441011	Option	MACK TAPERLEAF 20000# (9100 KG) GROUND LOAD RATING	4.00
BRAKES - FRONT	2411105	Option	MERITOR "S" CAM TYPE 16.5" x 6" Q+	37.00
BRAKE LININGS - FRONT	BLMF-M3	Option	MERITOR R403	
BRAKE DRUMS - FRONT	BF-DRCAS	Standard	CAST IRON	
DUST SHIELDS - FRONT	UFBRDUST	Standard	OMIT FRONT DUST SHIELDS	
SLACK ADJUSTERS - FRONT	FBADJ-AH	Standard	HALDEX - AUTOMATIC	
BRAKE CHAMBERS - FRONT	FBCM-MGM	Standard	FRONT BRAKE CHAMBER MANUFACTURER, MGM	
BRAKE CHAMBER SIZE - FRONT	FBCS24	Option	FRONT BRAKE CHAMBER 24SQ INCHES (SERVICE)	
UNEQUAL FRONT SPRINGS	UFSB	Standard	WITHOUT FRONT SPRING BIAS (EQUAL STIFFNESS L/R)	
HUBS - FRONT	HUBF-BAS	Standard	FERROUS	
SHOCK ABSORBERS - FRONT	FSHABS	Standard	DOUBLE ACTING TYPE	
STEERING	2452116	Option	TRW TAS66+RCH60 POWER	754.00
LUBRICANTS -FRONT AXLE	LUBEF-PS	Standard	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE	
<b>REAR AXLE EQUIPMENT</b>				
REAR AXLES - TANDEM	2681026	Option	46000# (20900kg) MACK S462R CAST DUCTILE HOUSING	1,489.00
WIDE TRACK AXLE OPTION	RACWD-ST	Standard	W/O WIDE TRACK AXLE	
LUBE PUMP, REAR AXLE	URALUBEP	Standard	W/O LUBE PUMP AND FILTER	
CARRIER - REAR AXLE	0180153	Option	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERWHEEL DIFFERENTIAL LOCKS, SEE 254 SYMBOL	
REAR AXLE RATIO	RAT5.31	Option	5.31 RATIO	

REAR SUSPENSION - TANDEM	1861077	Option	SS462 MACK MULTILEAF (CAMELBACK) 46000# - EXTRA THICK SPRING THICKNESS	-61.00
TRUNNION BUSHING	RSEB-BRO	Option	BRONZE	
REAR AXLE BREATHERS	UBREF	Standard	WITHOUT BREATHER FILTER RELOCATION	
BOGIE SPREAD, REAR	BSR1270	Option	50" AXLE SPACING (BOGIE WHEELBASE)	
SUSPENSION LEVELING DEVICE	USUSPLEV	Option	W/O AIR SUSPENSION HEIGHT CONTROL	
AIR SUSPENSION DUMP WARNING	UASD	Option	WITHOUT AIR SUSPENSION DUMP WARNING	
SHOCK INSULATORS	RSI-RUB	Option	RUBBER SHOCK INSULATORS	
SHOCK ABSORBERS - REAR	URSHABS	Option	W/O REAR SHOCK ABSORBERS	
TRANSVERSE TORQUE RODS	TTR-RD	Option	TRANSVERSE TORQUE ROD (REAR AXLE ONLY)	
BRAKES - REAR	2531104	Standard	MERITOR "S" CAM 16.5"x7" Q+	
REAR BRAKE LINING	BLMD-A1	Option	ABEX 931-162 (MERITOR R301) (REAR EACH AXLE 23,000LBS MAX)	
BRAKE DRUMS - REAR	BR-DRCAS	Standard	CAST IRON	
SLACK ADJUSTERS - REAR	RBADJ-AH	Standard	HALDEX - AUTOMATIC	
DUST SHIELDS - REAR BRAKE	UDBRDUST	Standard	OMIT REAR DUST SHIELDS	
REAR BRAKE CHAMBER SIZE	RBCS3030	Standard	REAR SPRING BRAKE CHAMBERS 30/30 TYPE	
REAR BRAKE CHAMBER	3009005	Standard	MGM TR-T; TAMPER-RESISTANT BRAKE CHAMBERS	
HUBS - REAR	HUBD-PIS	Standard	IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT	
POWER DIVIDER LOCKOUT	DLS-BL	Standard	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	
LUBRICANTS, REAR AXLE(s)	LUBER-PE	Standard	FACTORY OPTION LUBE - REAR AXLE	
TRACTION DIFFERENTIAL	2540000	Standard	OMIT DIFFERENTIAL LOCKS	
ABS SENSOR/CHANNEL OPTION	ABS4S4M	Standard	4S/4M SYSTEM REAR WHEEL END SENSORS	
ANTILOCK BRAKE SYSTEM	6980006	Standard	BENDIX WITHOUT TRACTION CONTROL	
AIR SYSTEM VALVE VENDOR	BRV-V4	Standard	BENDIX SWITCHES AND VALVES WHERE POSSIBLE	
TRACTION CONTROL DISABLE	UTCD	Standard	W/O AUTOMATIC TRACTION CONTROL (ATC) DISABLE SWITCH	
<b>FRAME EQUIPMENT/FUEL TANKS</b>				
WHEELBASE	2710222	Option	222"	150.00
AF (OVERHANG)	3740075	Option	75"	
FRAME RAILS	2741028	Option	STEEL - 300MM X 90MM X 11.1MM - (11.81" X 3.54" X 0.437" )	834.00
FRAME-RUST PREVENTATIVE	UTRUSTP	Standard	W/O RUST PREVENTATIVE OPTION	
FRAME INNER LINER	ULINER	Standard	WITHOUT FRAME REINFORCEMENT - INSIDE	
FRAME OUTER LINER (CA)	UFOLIN	Standard	WITHOUT FRAME REINFORCEMENT - OUTSIDE	
BOLT ON FRONT FRAME EXTENSION	FFE155	Standard	6" BOLT ON FRAME EXTENSION	
FRONT FRAME LENGTH	FFL1285	Standard	STANDARD BUMPER POSITION	
CROSSMEMBERS	2811055	Standard	BOC AND INTERMEDIATE(S) STEEL HD BACK-TO-BACK CHANNEL	
FRAME RAIL CLEARANCE	UFRF	Standard	W/O FRAME RAIL CLEARANCE	
CROSSMEMBERS BEHIND REAR AXLE	ACMR1-SC	Option	STEEL SINGLE CHANNEL (1)	
REAR CROSSMEMBER OPTIONS	RXM-STR	Standard	FURNISH STANDARD STEEL CLOSING REAR CROSSMEMBER	
TAPERED FRAME RAIL ENDS	RF-STRAI	Standard	WITHOUT TAPERED FRAME RAIL ENDS	
MUD FLAP BRACKETS	URMUFLA	Standard	W/O REAR MUD FLAP HANGER BRKTS	
MUD FLAP TYPE, REAR AXLE	URMUFD	Standard	W/O REAR MUD FLAPS	

MUD FLAP, FRONT AXLE	FMUD-BAS	Standard	BLACK POLYARMOUR (NO NAME TO APPEAR ON FLAP) (NOT ANTI-SPRAY TYPE)	
FRONT BUMPER	BUMP-SPE	Standard	EXTENDED-SWEPT BACK-STEEL	
RADIATOR GUARD	UCGUARD	Standard	W/O RADIATOR GUARD	
SKID PLATE	UGUARD	Standard	WITHOUT GUARD	
TOWING DEVICE, FRONT	TDF2HOOK	Standard	HOOKS	
PINTLE HOOK	UCOUPLIN	Standard	W/O REAR TOWING DEVICE	
TOWING DEVICE, REAR	UTOWR	Standard	WITHOUT TOWING DEVICE, REAR	
TOOL BOX	UTOOLB	Standard	W/O TOOL BOX	
FUEL LEVEL SENDER UNIT, LIQUID	FLS-BASL	Standard	BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK	
FUEL TANK - LH	288A066	Option	66 GALLON (250 L) 22" ALUMINUM, SLEEVED D-SHAPED	84.00
FUEL TANK - RH	2900000	Standard	W/O RH FUEL TANK	
FUEL TANKS - BRIGHT FINISH	UFTNKPOL	Standard	W/O BRIGHT FINISH FUEL TANKS	
FUEL LINE MATERIAL	FHOS-WBR	Standard	BRAIDED HOSE	
FILLER NECK SCREENS	8520000	Standard	W/O FILLER NECK SCREEN OPTION	
FUEL TANK CAP	FCAP-UL	Standard	NON-LOCKABLE FUEL TANK CAP	
CAB ACCESS STEPS	CSTEP-BA	Standard	STANDARD 2 STEP CAB ACCESS	
STEPS (BRIGHT) - FUEL TANK	2230000	Standard	W/O BRIGHT FINISH STEPS AND STRAPS PACKAGE	
FAST FILL FUEL SYSTEM	FUFS-BAS	Standard	W/O FAST FILL FUEL SYSTEM OPTION	
ISOLATE TANK FROM FUEL SYSTEM	UHYTP	Standard	W/O ISOLATED TANK(S)	
QUARTER FENDERS	4640000	Standard	W/O QUARTER FENDERS	
<b>AIR/BRAKE</b>				
AIR DRYER	AIRM-W13	Standard	WABCO 1200P W/TURBO CUT OFF VALVE, W/COALESCING OIL FILTER, HEATED	
AIR TANK DRAIN VALVE	DRVA-P	Standard	MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS	
AIR RESERVOIRS	ATANK-AP	Option	ALUMINUM, POLISHED	362.00
AIR DRYER POSITION (CA)	ADP-STD	Standard	W/O RELOCATION OPTION	
RELOCATE AIR RESERVOIRS	1410000	Standard	W/O RELOCATED AIR TANKS	
INCREASE AIR CAPACITY	UAUXATNK	Standard	W/O INCREASED AIR RESERVOIR CAPACITY	
PARK BRAKE ALARM	UPARKAL	Standard	W/O PARK BRAKE ALARM	
PARKING BRAKE VALVE	PBV-Y	Standard	SINGLE VALVE SYSTEM	
<b>ELECTRICAL</b>				
PARKING BRAKE LIGHTING	UPBRLIGH	Standard	WITHOUT PARKING BRAKE LIGHTING	
BACK-UP ALARM	BUPALAR3	Option	ECCO BACK-UP ALARM 575 CONSTANT SOUND LEVEL 107 dB	106.00
DASH MOUNTED SWITCHES	AUXSW-6B	Option	SIX (6) ASSIGNABLE BODYBUILDER DASH SWITCHES (5 ON-OFF, 1 MOMENTARY)	158.00
FOG LAMPS	UFOGLAMP	Standard	WITHOUT FOG LAMPS	
MARKER/DIRECTIONAL SIGNAL	MARKD-NA	Standard	W/O MARKER/DIR SIGNAL OPTION	
ROOF MARKER LIGHT	3120010	Standard	(5) TRUCKLITE LED CHROME BULLET TYPE LAMPS	
WARNING LAMP	UWARNLIG	Standard	WITHOUT WARNING LIGHTS	
AUXILIARY LAMPS	UAUXL	Standard	W/O AUX LAMP PROVISIONS	
AUXILIARY SPOTLIGHT (CA)	UASL	Standard	W/O SPOTLIGHT	
DAYTIME RUNNING LIGHTS	LOWB-DA7	Standard	PARK BRAKE AND ENGINE RUNNING ACTIVATED	
TAIL LAMPS	TL-MULTI	Standard	INCANDESCENT TAIL LAMPS	
WORK LIGHTS - CHASSIS MOUNTED	UCHAWL	Standard	W/O WORK LIGHTS	
<b>TRAILER CONNECTIONS</b>				
FIFTH WHEEL ANGLE THICKNESS	U5WAT	Standard	WITHOUT 5TH WHEEL ANGLE THICKNESS	
TRAILER GLAD HAND COUPLINGS	UT8CONN	Standard	W/O GLAD HAND COUPLINGS	

HAND CONTROL VALVE	UTRBRKE	Standard	W/O HAND CONTROL VALVE	
TRAILER CONNECTIONS	UTCP	Standard	OMIT TRAILER AIR BRAKE CONNECTIONS	
TRAILER ELECTRICAL RECEPT	3210000	Standard	WITHOUT TRAILER ELECTRICAL RECEPTACLE	
TRAILER HOOKUP LIGHT	3220000	Standard	W/O TRAILER HOOK-UP LIGHT	
<b>PTO</b>				
TRANSMISSION MOUNTED PTO	1890000	Standard	W/O TRANSMISSION MOUNTED PTO	
PTO - CONTROL	PTOTC1PK	Option	TRANSMISSION PTO SWITCH AND LIGHT WITH WIRING AND PIPING FOR LOCAL INSTALLATION	224.00
FRONT ENGINE PTO	1830000	Standard	W/O FRONT ENGINE PTO DRIVE	
REAR ENGINE PTO	4160000	Standard	WITHOUT REAR ENGINE POWER TAKE OFF	
NEUTRAL CONTROL	UPTOTNC	Standard	W/O NEUTRAL CONTROL	
BODY BUILDER INTERFACE	B830025	Standard	BODY LINK III W/CAB PASS-THRU	
<b>SPECIALTY EQUIPMENT</b>				
FRAME MODIFICATIONS	0150000	Standard	NO FRAME MODIFICATIONS PROVIDED	
AUXILIARY TRANSMISSION (CA)	UAUXTRAN	Standard	WITHOUT AUXILIARY TRANSMISSION	
POWER TOWER MOUNTING (CA)	UATLOC	Standard	WITHOUT AUXILIARY TRANSMISSION LOCATION	
AUX TRANSMISSION COOLER (CA)	UATCOOL	Standard	W/O OIL COOLER AUX TRANS OPTION	
AIR UNLOAD SYSTEM	UBULKUA	Standard	WITHOUT AIR UNLOAD SYSTEM	
SPEED LIMIT SIGN RECOGNITION	USPDSGMR	Standard	WITHOUT SPEED LIMIT SIGN RECOGNITION	
ACC TIME GAP CONFIG SETTING	UACCTG	Standard	WITHOUT TIME GAP SETTINGS	
UNIQUE DECALS MACHINE DIRECTIV	USIGNSWC	Standard	W/O SPECIAL DECALS	
<b>CAB INTERIOR (A THRU G)</b>				
GAUGES - UNIT OF MEASURE	1980001	Standard	U.S. UNITS (PREDOMINANT)	
GAUGE - PACKAGE, SECONDARY	U2GAUGE	Standard	WITHOUT SECONDARY GAUGE PACKAGE	
GAUGE - TRANSMISSION OIL TEMP	UGOTTR	Standard	WITHOUT TRANSMISSION OIL TEMP GAUGE	
GAUGE - EXHAUST PYROMETER	GEXPYR	Option	EXHAUST PYROMETER GAUGE	54.00
GAUGE - REAR AXLE OIL TEMP	UGOTRA	Standard	WITHOUT REAR AXLE OIL TEMPERATURE GAUGE	
GAUGE - MANIFOLD PRESSURE	UGPMFOLD	Standard	W/O MANIFOLD PRESSURE GAUGE	
GAUGE - AMBIENT TEMPERATURE	UTEMPAMB	Standard	WITHOUT AMBIENT OR ROAD TEMPERATURE GAUGE	
GAUGE - ENGINE HOURMETER (CA)	UTIMEC	Standard	W/O INDEPENDENT ENGINE HOURMETER	
GAUGE - SERVICE TRAILER BRAKE PRESSURE	UBPAG	Standard	WITHOUT BRAKE PRESSURE APPLICATION GAUGE	
GAUGE - REAR AIR SUSP PRESSURE	UGPRAS	Standard	WITHOUT REAR AIR SUSPENSION GAUGE	
AIR RESTRICTION INDICATOR	UAIRRI	Standard	WITHOUT AIR RESTRICTION INDICATOR	
AUX.INCAB PNEUMATIC LINE	UAPNOUTC	Standard	WITHOUT CAB CLEANOUT	
AIR CONDITIONING/HEATER	1731002	Standard	BLEND AIR HVAC W/"ATC" TEMP REGULATION	
DRIVER AUXILIARY FAN	UCAFAN	Standard	W/O CAB FAN, AUX AIR CIRC OPTION	
DOME LAMP, INTERIOR	DL-BS2R	Standard	(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	
DASH INDICATOR - LAMP BODY OUT OF POS	DIL-BOOP	Option	DASH MTD, INDICATOR BODY/HOIST UP "BODYBUILDER LAMP"	
FIRE EXTINGUISHER	7860105	Option	5LB (ABC RATED) MOUNTED BETWEEN DRIVER SEAT BASE AND DOOR VALVE AIMED REARWARD	78.00
FLOOR COVERING	1840007	Standard	POLYURETHANE FLOOR MAT	
<b>CAB INTERIOR (H THRU R)</b>				

INSTRUMENT CLUSTER LANGUAGE	C520007	Standard	DEFAULT: ENGLISH, SPANISH, FRENCH	
KEYED ALIKE CHASSIS	1600001	Standard	ALL CHASSIS KEYED AT RANDOM	
KEYLESS ENTRY	DOP-MAN	Standard	W/O ELECTRONIC KEYLESS ENTRY	
OVERHEAD CONSOLE	FOHS2BAS	Standard	(2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING FOR CB PROVISIONS	
PERMIT PLATE	UPERP	Standard	W/O PERMIT PLATE OPTION	
PERSONALIZED NAME PLATE	UPNPLATE	Standard	W/O PERSONALIZED OPTION	
RADIO/RADIO ACCOMMODATION	1746101	Option	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOTH	273.00
RADIO - ANTENNA	ANR-CDL1	Standard	RADIO ANTENNA, CAB MOUNTED BEHIND LH DOOR	
RADIO ANTENNA - CB	UANTCB	Standard	W/O ANTENNA OR PREP KIT	
AUDIO SHUTOFF	UAUDOFF	Standard	W/O AUTO RADIO SHUTOFF OPTION	
RADIO - BINDING POSTS FOR CB	PWL5WH	Standard	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) IN HEADER CONSOLE	
AUDIO SPEAKER LOCATION	SPK-IDM	Option	SPEAKER LOCATION, IN DOORS, MIDDLE HIGH SIDE PANEL	81.00
RADIO - CB	UCRADIO	Standard	W/O CB RADIO	
RADIO - CB RADIO MOUNTING	CBM-OPR	Standard	CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE	
REAR WINDOW	AWIND-RF	Standard	REAR WINDOW (FIXED TYPE)	
REAR WALL STORAGE COMPARTMENT	RWSTC-FI	Standard	STORAGE POUCH REAR	
REFLECTOR KIT	7840000	Standard	W/O REFLECTOR KIT OPTION	
<b>CAB INTERIOR (S THRU Z) *</b>				
INTERIOR TRIM LEVELS	0041110	Standard	STANDARD PACKAGE, STEEL GRAY (Package 11A)	
SEAT - DRIVER'S	1963100	Standard	MACK-AIR, HIGH BACK, 1 CHAMBER AIR LUMBAR	
SEAT COVERING - DRIVER'S	MAP1004	Standard	DRIVER'S SEAT - STEEL GREY VINYL	
SEAT - PASSENGER'S	1973002	Option	MACK-FIXED, BENCH SEAT, MID BACK	417.00
SEAT COVERING - PASSENGER'S	MAQ0002	Option	PASSENGER'S SEAT - BLACK MORDURA	
SEAT - DUST COVER(S)	USSDC	Standard	W/O SEAT DUST COVER FOR DRIVER'S AND RIDER'S SEATS	
SEAT ARM REST(S)	UARMREST	Standard	W/O ARM RESTS	
SEAT BELT(S)	5920007	Option	LAP & SHOULDER (BOTH SEATS) & LAP BELT FOR INBOARD RIDER	113.00
SEAT BELT WARNING INDICATOR	USEATBR	Standard	WITHOUT SEAT BELT REMINDER	
STARTER SWITCH	IGT-KEY	Standard	KEY TYPE	
STEERING WHEEL	1610020	Option	2 SPOKE URETHANE GRIP, SATIN ALUMINUM SPOKES, WITH SWITCHES	27.00
SUN VISOR - INTERIOR, FRONT	ISUNF-BB	Standard	SUN VISOR - BOTH SIDES	
WINDSHIELD TYPE	WIND-SP	Standard	2-PIECE WINDSHIELD	
CAB GLASS	1450001	Standard	TINTED WINDSHIELD & SIDE WINDOWS & REAR WINDOW (IF EQUIPPED)	
WINDSHIELD WASHER	WREP-BOC	Standard	WINDSHIELD WASHER RESERVOIR INSTALLED BOC	
WINDSHIELD WIPERS	1480011	Standard	2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	
<b>CAB EXTERIOR</b>				
AIR INTAKE GRILLE, FINISH	AIRG-GR	Standard	GRILLE PAINTED GRAY	
GRILLE	4000019	Standard	BLACK FINISH BARS W/O SURROUND RADIATOR MTD	
DOOR WINDOW FRONT	AWIND-RB	Standard	AUX. WIN. DOOR ON RIGHT SIDE NON STG WHL POS. DEPEND	
GRAB HANDLES	5870102	Standard	BF EXTERIOR CAB GRAB HANDLES, BLACK GRAB HANDLE RH INTERIOR WINDSHIELD POST	
REAR CAB SUSPENSION	RCABS-A	Standard	REAR CAB SUSPENSION, AIR	

ROOF HATCH OR COOLER	URHATCH	Standard	W/O ROOF VENT VENTILATION	
HOOD HATCH	UHHATCH	Standard	WITHOUT HOOD HATCH	
HOOD LATCH FINISH	HOODL-BL	Standard	PAINTED HOOD LATCHES	
HORN - AIR	1540006	Standard	(1) BLACK TWIN TRUMPET, UNDER CAB MOUNTED	-60.00
HORN - ELECTRICAL	HORN-E1S	Standard	SINGLE TONE	
MIRRORS - EXTERIOR	1529045	Option	BULLDOG STYLIZED MIRRORS - LH & RH HEATED & MOTORIZED AND ILLUMINATED W/INTEGRAL CONVEX MIRROR	723.00
MIRRORS - CONVEX TYPE CAB DOORS	1530000	Option	WITH AERO MIRRORS	
MIRROR - CONVEX HOOD & FENDER	15H0000	Standard	WITHOUT CONVEX TYPE	
MIRRORS - PROXIMITY	UAMIRCLO	Standard	W/O OPTIONAL VISIBILITY MIRROR	
SUN VISOR - EXTERIOR	1570001	Option	SUN VISOR, EXTERIOR, FIBERGLASS (PAINTED)	208.00
<b>AERODYNAMIC DEVICES</b>				
ROOF FAIRING/SIDE SHIELDS	1590000	Standard	WITHOUT AERO AIDS	
<b>WHEELS &amp; TIRES</b>				
TIRE ROLLING RESISTANCE RATING - FRONT (FOR GHG)	4WC-A1X	Option	ADVANCED LOW ROLLING RESISTANCE, BEST FUEL ECONOMY	
TIRES BRAND/TYPE - FRONT	9001415	Option	315/80R22.5 L BRIDGESTONE M870 (20000 lbs)	554.00
WHEELS - FRONT	5312723	Option	22.5x9.00 HAYES LEMMERZ STEEL DISC 10-HOLE HUB PILOTTED, FIVE HAND HOLES(11 1/4"/286mm BC)6.42" INSET	-50.00
WHEEL FINISH, FRONT	UWFF	Option	W/O FRONT DISC WHEEL BRIGHT FINISH	
TIRE & WHEEL QUANTITY - FRONT	FWT0002	Standard	TWO FRONT TIRES & WHEELS	
TIRE ROLLING RESISTANCE RATING - REAR (FOR GHG)	4XC-G1X	Option	OTHER (NON-SPECIFIED), VERY POOR FUEL ECONOMY	
TIRES BRAND/TYPE - REAR	9011400	Option	11R22.5 G BRIDGESTONE M726 ELA (23360 lbs) (DRIVE ONLY)	880.00
WHEELS - REAR	3462734	Option	22.5x8.25 HAYES LEMMERZ STEEL DISC 10-HOLE HUB PILOTTED, TWO HAND HOLE (11 1/4"/286 mm BC) wgt reduced	-400.00
WHEEL FINISH - REAR	2350000	Option	W/O REAR DISC WHEEL BRIGHT FINISH	
TIRE & WHEEL QUANTITY - REAR	RWT0008	Standard	EIGHT REAR AXLE TIRES & WHEELS	
DRIVE WHEEL STUDS	DSTUD-S	Option	DRIVE WHEEL STUDS BASIC LENGTH	-74.00
VALVE STEMS & CAPS	VALVESTD	Standard	STANDARD VALVE STEMS AND CAPS	
SPARE WHEEL	USPWT	Standard	W/O SPARE WHEEL, W/O SPARE TIRE	
SPARE WHEEL CARRIER, POS	USPWCARR	Standard	W/O SPARE TIRE CARRIER	
WHEEL GUARDS - FRONT	UHWIF	Standard	W/O FRONT WHEEL GUARD OPTION	
WHEEL GUARDS - REAR	UHWID	Standard	W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM	
WHEEL NUT & FINISH - FRONT (CA)	WNFF-BAS	Standard	WHEEL NUT BASIC FINISH, FRONT	
WHEEL NUT & FINISH - REAR (CA)	WNFR-BAS	Standard	WHEEL NUT BASIC FINISH, REAR	
HYDRAULIC JACK	2820000	Standard	W/O HYDRAULIC JACK	
<b>COMMUNICATION SYSTEMS</b>				
CO-PILOT - DISPLAY FEATURES ACCESS LEVEL	DFA-LIM	Standard	DISPLAY FEATURES, LIMITED, NO DRIVER ACCESS LEVEL 1	
FLEET TRIP MANAGEMENT	UFTMAN	Standard	WITHOUT FLEET TRIP MANAGEMENT DRIVER CONTROL	
COMMUNICATION/TRACKING DEVICE	6210000	Standard	W/O NAVIGATION/COMM DEVICE	
<b>ENGINE ELECTRONICS</b>				
ENGINE FUEL ECONOMY SETTINGS - SOFTWARE PACKAGES	MAT0000	Standard	WITHOUT ENGINE SOFTWARE SETTINGS	



SHUTDOWN-ENG.OIL PRESSURE	OPRESHUT	Standard	OIL PRESSURE, ENGINE SHUTDOWN
SHUTDOWN-ENG.COOLANT LVL.	UCLEVSHU	Standard	WITHOUT COOLANT LEVEL ENGINE SHUTDOWN
SHUTDOWN-ENG.COOLANT TEMP	CTEMSHUT	Standard	COOLANT TEMP, ENGINE SHUTDOWN
ENG /OIL TEMP SHUTDOWN	ENGPROT	Standard	ENGINE PROTECTION (SHUTDOWN)
FAN ENGAGEMENT-STATIONARY	UFCSV	Standard	WITHOUT ENG FAN CONTROL, STATIONARY VEHICLE
FAN ENGAGEMENT-MOVING	UFCMV	Standard	WITHOUT ENG FAN CONTROL, MOVING VEHICLE
FAN ENGAGEMENT TIME-MOVING	UFANCMT	Standard	WITHOUT ENG FAN CONTROL, MOVING VEHICLE, TIME SETTING
FAN ENGAGEMENT TIME-A/C	UFCACT	Standard	WITHOUT ENG FAN CONTROL, A/C ON, TIME SETTING
LOW IDLE ENGINE RPM	IDLE-PIS	Standard	IDLE CONTROL, PERMANENT IDLE SHUTDOWN OVERRIDE
LOW IDLE RPM ADJUSTMENT	ULOWIADJ	Standard	WITHOUT LOW IDLE RPM ADJUSTMENT
SMART ENG.IDLE	UENID	Standard	WITHOUT ENGINE IDLE ADJUST
IDLE RPM UP W/LOW VOLTAGE	IBC010	Standard	INCREASE 10 MINUTE MAXIMUM TIME
IDLE S/D ABS TAMPER CHECK	ISDTC-E	Standard	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED
ENGINE IDLE COOLDOWN	UEIDLEC	Standard	ENGINE IDLE COOLDOWN, DISABLE
IDLE SHUTDOWN	UEIDLESD	Standard	ENGINE IDLE SHUTDOWN, DISABLE
ENGINE IDLE SHUTDOWN TIME	ISD10	Standard	IDLE SHUTDOWN TIME 10 MIN.
IDLE S/D IF WARM-UP TEMP	WTEMD38	Standard	38C DEG (100F), WARM UP TEMP DELAY
IDLE S/D WARM-UP TIMER	WTIMD005	Standard	5 MIN. WARM UP TIME DELAY
IDLE S/D IF EHT ACTIVE	UISDEHT	Standard	WITHOUT ENGINE IDLE SHUTDOWN TIME OVERRIDE IF EHT ACTIVE
IDLE S/D IF PTO ACTIVE	UISDPTO	Standard	WITHOUT ENGINE IDLE SHUTDOWN TIME OVERRIDE IF PTO ACTIVE
IDLE SHUTDOWN IF POWER > LIMIT	ISDOVTO	Standard	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT
IDLE SHUTDOWN CONTROL	UISSC	Standard	WITHOUT IDLE SHUTDOWN CONTROL
EHT, MAX ROAD SPEED	EHTR16	Standard	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)
EHT, MAX ENG SPEED	EHTX2100	Standard	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM
EHT, MIN ENG SPEED	EHTM700	Standard	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM
EHT, SPEED RAMP RATE	UEHTRR	Standard	WITHOUT ELECTRONIC HAND THROTTLE, SPEED RAMP RATE
EHT, SGL SPEED CNTRL	UEHTSSC	Standard	WITHOUT ELECTRONIC HAND THROTTLE, SINGLE SPEED CONTROL
EHT, JUMP TO MIN ENG SPEED	UEHTJMIS	Standard	WITHOUT ELECTRONIC HAND THROTTLE, JUMP TO MIN. ENGINE SPEED
<b>TRANSMISSION ELECTRONICS</b>			
SHUTDOWN-TRANS. TEMP.	UTRAPROT	Standard	WITHOUT TRANSMISSION PROTECTION
TRANSMISSION ELECTRONICS PACKAGE	779180C	Option	180 BASIC REFUSE, AUTO NEUTRAL W/ OVERRIDE, RDCI, AUX FUNCTION RANGE INHIBIT
TRANSMISSION ELECTRONIC SHIFTING PROPERTIES	MAV0000	Standard	W/O TRANSMISSION ELECTRONIC SHIFTING PROPERTIES
<b>VEHICLE ELECTRONICS</b>			
CRUISE CONTROL	CRUISEC	Standard	CRUISE CONTROL
CRUISE CONTROL, MAX SPEED	CCM105	Standard	MAX CRUISE, 105 KPH (65 MPH)
CRUISE CONTROL MIN SPEED	CCM32	Standard	MIN CRUISE, 32 KPH (20 MPH)
CRUISE RESUME WITH CLUTCH	UCRUISRC	Option	WITHOUT CRUISE RESUME WITH CLUTCH
ENG BRAKE ENGAGE IN CRUISE	UBREC	Standard	WITHOUT ENG BRK ENGAGE IN CRUISE

PEDAL SPEED LIMITER	PRSL105	Option	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)
LOWER GEAR RD.SPD.LMT.OPT	ULGVLF	Standard	WITHOUT LOWER GEAR VEHICLE LIMITING FEATURE
LOW GEAR LIMITING SPEED	UGVLS	Standard	WITHOUT LOW GEAR VEHICLE LIMITING SPEED
ROAD SPEED LIMIT (RSL)	SPEED105	Standard	105 KM/H ROAD SPEED LIMITER(65 MPH)
ROAD SPEED LIMIT CONTROL TYPE	RSL-NORM	Standard	RSL CONTROL TYPE NORMAL
PDLO ENGAGE VLS FEATURE	PDLO-D	Standard	DISABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT
MAXIMUM ENG SPEED AT 0 MPH	MESZ1950	Option	1950 MAXIMUM ENGINE SPEED AT 0 MPH
ACCELERATOR LIMITER	UALIM	Standard	WITHOUT ACCELERATOR LIMITER
SPEED SENSOR TAMPERING DETECTION	DSST-E	Standard	DETECTION OF SPEED SENSOR TAMPERING, ENABLE
PWR.LIMIT LVL-MPH SENSOR	ETOL50ST	Standard	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED
ENG HIGH IDLE-UPPER GEAR	EHISUG-D	Standard	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED
1ST RATIO FOR REDUCED HIGH IDLE	U1RHI	Standard	WITHOUT 1ST RATIO FOR REDUCED HIGH IDLE
LAST RATIO FOR FULL HIGH IDLE	ULFHI	Standard	WITHOUT LAST RATIO FOR FULL HIGH IDLE
DRIVER ID FUNCTION	DIDF-DIS	Standard	DRIVER ID FUNCTION, DISABLED
DRIVER ID, RESET TIMER	UDIDRT	Standard	WITHOUT RESET DRIVER ID TIMER
DRIVER ID, ALERT TIMER	UDIDAT	Standard	WITHOUT DRIVER ID ALERT TIMER
BODY CONTROL PACKAGE (CA)	C7C-Z1X	Standard	WITHOUT CUSTOMER UNIQUE VEHICLE PARAMETERS
DATAMAX ENGINE OVERSPEED-COMPANY	EOSA2200	Standard	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM
DATAMAX ENGINE OVERSPEED-FUEL	EOSF2100	Standard	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM
DATAMAX VEHICLE OVERSPEED-ALL	VOSAC75	Standard	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)
DATAMAX VEHICLE OVERSPEED-FUEL	VOSF70	Standard	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)
DATAMAX IDLE LOG DELAY	EIDL02	Standard	ENGINE IDLE DELAY TO START LOG, 2 MIN
PERIODIC TRIP LOG HOUR OF DAY	UPTLOGH	Standard	WITHOUT PERIODIC TRIP LOG, HOUR
PERIODIC TRIP LOG DAY OF WEEK	UPTLOD	Standard	WITHOUT PERIODIC TRIP LOG, DAY OF WEEK
PERIODIC TRIP LOG DAY OF MONTH	PTLOM01	Standard	PERIODIC TRIP LOG, DAY 1 OF THE MONTH
PRE-TRIP DIAGNOSTIC INSPECTION	PTRIP-DI	Standard	PRE-TRIP DIAGNOSTICS INSPECTION, BASIC
GUARDDOG MAINT. MONITORING	USAS	Standard	WITHOUT SERVICE ALERT SYSTEM
DRL OVERRIDE SW TIMED	UDRLOVER	Standard	WITHOUT DAYTIME RUNNING LAMP OVERRIDE SW
DRL OVERRIDE SPEED THRESHOLD	UDRLOS	Standard	WITHOUT DRL OVERRIDE SPEED THRESHOLD
<b>PTO ELECTRONICS</b>			
FAN ENGAGEMENT DUE TO PTO	UFANEPTO	Standard	WITHOUT FAN ENGAGEMENT DUE TO PTO
TRANS PTO1 SPLITTER RANGE	UPTO1SR	Standard	W/O PTO1 FOR SPLITTER RANGE
PTO 1ST, SINGLE SPEED CONTROL	UPTO1SSC	Standard	WITHOUT PTO 1ST, SINGLE SPEED CONTROL
PTO 1ST, MAX ROAD SPEED	U1PTOMXS	Standard	WITHOUT 1ST PTO, MAX ROAD SPEED
PTO 1ST, SPEED RAMP RATE	U1PTORR	Standard	WITHOUT PTO 1ST, SPEED RAMP RATE
PTO 1ST, ROAD SPEED LIMIT	U1PRSL	Standard	WITHOUT PTO 1ST, ROAD SPEED LIMIT
PTO 1ST,JUMP TO MIN ENG SPEED	U1PJMIS	Standard	WITHOUT PTO 1ST, JUMP TO MINIMUM ENGINE SPEED
PTO 1ST, MINIMUM ENGINE SPEED	U1PMIES	Standard	WITHOUT PTO 1ST, MINIMUM ENGINE SPEED

PTO 1ST,AUTO SET SINGLE SPEED	U1PTOASP	Standard	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	
PTO 2ND, SINGLE SPEED CONTROL	UPTO2SSC	Standard	WITHOUT 2ND PTO, SINGLE SPEED CONTROL	
PTO 2ND, MAX ROAD SPEED	U2PTOMXS	Standard	WITHOUT 2ND PTO, MAX ROAD SPEED	
PTO 2ND, SPEED RAMP RATE	U2PTORR	Standard	WITHOUT PTO 2ND, SPEED RAMP RATE	
PTO 2ND, MAX ENGINE SPEED	U2PMXES	Standard	WITHOUT PTO 2ND, MAX ENGINE SPEED	
PTO 2ND, ROAD SPEED LIMIT	U2PRSL	Standard	WITHOUT PTO 2ND, ROAD SPEED LIMIT	
PTO 2ND,JUMP TO MIN ENG SPEED	U2PJMIS	Standard	WITHOUT PTO 2ND, JUMP TO MINIMUM ENGINE SPEED	
PTO 2ND,AUTO SET SINGLE SPEED	U2PTOASP	Standard	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	
<b>PAINT</b>				
PAINT DESIGN	9503100	Standard	SINGLE COLOR	
PAINT TYPE	9240001	Standard	SOLID PAINT	
PAINT COLOR - FIRST COLOR	9442007	Standard	MACK WHITE; P9188	
PAINT COLOR - SECOND COLOR	9451000	Standard	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	
PAINT COLOR - THIRD COLOR	9461000	Standard	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	
CAB COLOR	MPB0944	Standard	SAME AS FIRST COLOR - CAB	
HOOD COLOR	MPD0944	Standard	SAME AS FIRST COLOR - HOOD	
CHASSIS FAIRING COLOR	9430000	Standard	WITHOUT CHASSIS FAIRINGS	
SUN VISOR COLOR	9661944	Option	SAME AS FIRST COLOR - SUN VISOR	55.00
MIRROR COVER COLOR	9400000	Standard	WITHOUT MIRROR COVER PAINT	
CHASSIS RUNNING GEAR	9512006	Standard	MACK BLACK (URETHANE)	
BUMPER	9589902	Standard	PAINT BUMPER SAME COLOR AS CHASSIS RUNNING GEAR	
FUEL TANK - ***NO INVENTED VARIANTS ALLOWED in the FUEL TANK PAINT FAMILY***	9590000	Option	W/O OPTIONAL FUEL TANK PAINT	
PRE-FINISHED FRONT DISC WHEELS	WPF-PCW	Option	PRE-FINISHED POWDER COAT WHITE	
PRE-FINISHED REAR DISC WHEELS	WPD-PCW	Option	PRE-FINISHED POWDER COAT WHITE	
PAINTED DISC WHEELS, FRONT	9540000	Standard	WITHOUT PAINT	
PAINTED DISC WHEELS, REAR	9550000	Standard	WITHOUT PAINT	
DEMOUNT.RIMS-FRONT	9560000	Standard	WITHOUT PAINT	
DEMOUNT.RIMS-REAR	9570000	Standard	WITHOUT PAINT	
SPOKE WHEELS-FRONT	9520000	Standard	WITHOUT OPTIONAL SPOKE WHEEL PAINT	
SPOKE WHEELS-REAR	9530000	Standard	WITHOUT OPTIONAL SPOKE WHEEL PAINT	
HUBS & DRUMS-FRONT	9629902	Standard	SAME AS CHASSIS RUNNING GEAR	
HUBS & DRUMS-REAR	9639902	Standard	SAME AS CHASSIS RUNNING GEAR	
<b>CALCULATED CODES - KAX</b>				
PROPCALC SELECTION	PROPCALC	Standard	YES, THE ORDER MUST BE CALCULATED	
AUTO ROUTING & CLIPPING, CENTER	UARC	Standard	WITHOUT AUTO ROUTING & CLIPPING PLACEMENT, CENTER	
<b>BASE WARRANTY &amp; PURCHASED COVERAGES</b>				
VEHICLE WARRANTY TYPE	8980003	Standard	HEAVY DUTY WARRANTY CLASSIFICATION	
BASIC CHASSIS COVERAGE	M501002	Standard	HEAVY DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (161,000 KM)	
ENGINE WARRANTY	M511003	Standard	CUMMINS ENGINES 8.9L (Contact Cummins for Standard Warranty and Extended Coverage Details)	
EMISSION COMPONENT COVERAGE	M521002	Standard	CUMMINS ENGINES (Contact Cummins for Standard Warranty and Extended Coverage Details)	

EXHAUST AFTERTREATMENT SYSTEM	M530000	Standard	W/O MACK EXHAUST AFTERTREATMENT TREATMENT PROTECTION PLAN
TRANSMISSION WARRANTY	M541010	Option	ALLISON TRANSMISSIONS (Contact Allison Transmission for standard warranty and extended coverage data)
CARRIER & AXLE HOUSING WARRANTY	M551002	Option	STANDARD MACK HEAVY DUTY COVERAGE 36 MONTHS / 350,000 (563,000 KM)
AIR CONDITIONING WARRANTY	M561000	Standard	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12 MONTHS UNLIMITED MILEAGE
CHASSIS TOWING WARRANTY	M571000	Standard	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000 MILES
ENGINE TOWING WARRANTY	M581000	Standard	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES (402,000 KM)
OMNITRACS FOR MACK TRUCKS	M720000	Standard	WITHOUT OMNITRACS FOR MACK TRUCKS
PARTNERED SERVICES	M680000	Standard	W/O VERIZON CONNECT PACKAGE
CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS	M990000	Standard	W/O CUSTOM/BUNDLED PURCHASE COVERAGE OPTION
<b>Total(\$)</b>			151,386.00

## Customer Adaptation

## Non-Approved

ID	Description	List Price
1	Mack S46SR Mack recertification 44/46 rear axles with M Ride Suspension	5,908.00
<b>Total(\$)</b>		5,908.00



## **CODE ENFORCEMENT**

**OF THE TOWN OF KENT, PUTNAM COUNTY, N.Y. 10512  
845-306-5598**

**September 30, 2019**

**From: Zoning Enforcement Officer, Town of Kent:  
To: Supervisor Fleming, Town board members, Town of Kent:  
Subject: Violations requiring town corrective action:**

**Enclosed please find violations issued by the undersigned and bids for correction.  
Site owners have not responded to Notices of Violation.**

**Locations requiring correction and lowest bids for site:**

**31 Larchmont Road \$150.00**

**35 Larchmont Road \$100.00**

**Above stated bids were submitted by JB Affordable Care**

**Rohna Landscapping failed to submit a bid**

**Dirt and Demo Inc. failed to submit a bid.**

**Notices of Violation and bids are enclosed.**

**For your consideration and approval.**

**William Looney,  
Zoning Enforcement Officer,  
Town of Kent.**

## **BIDDING PROPOSALS**

**JAMES K. BENNETT  
J.B. AFFORDABLE CARE  
3 MOUNTAIN VIEW KNOLLS, APT A  
FISHKILL, N.Y. 12524**

**SEPTEMBER 30, 2019.**

**TO WILLIAM LOONEY, ZONING ENFORCEMENT OFFICER, TOWN OF  
KENT, PUTNAM COUNTY, NEW YORK.**

**PLEASE ACCEPT THE FOLLOWING PROPOSALS TO CORRECT THE  
OVERGROWTH OF GRASS AND OR BRUSH AT THE FOLLOWING  
LOCATIONS AT THE INDICATED RATES.**

**31 LARCHMONT ROAD \$150.00  
35 LARCHMONT ROAD \$100.00**

**THANK YOU FOR YOUR BUSINESS,**

**JAMES BENNETT**

**OWNER**



**CODE ENFORCEMENT  
OF  
THE TOWN OF KENT, PUTNAM COUNTY, N.Y. 10512  
845-306-5598  
KENTCODES@GMAIL.COM  
ORDER TO REMEDY VIOLATION**

**Location:** 31 Larchmont Rd Kent, NY

**Map NO:** 33.50-1-42

**Date:** 09/18/19

**TO:**

George Rosalino  
31 Larchmont Rd  
Carmel, NY 10512

**PLEASE TAKE NOTICE: THERE EXISTS A VIOLATION OF:**

Town of Kent Municipal Code\Chapter 55 A Property Maintenance Code\Section 11 Subs B-1-B Nuisances

**at premises hereinafter described in that:**

**GRASS/BRUSH: OWNER/AGENT HAS FAILED TO MAINTAIN SITE FREE OF EXCESS WEED/GRASS/BRUSH GROWTH.**

**OWNER/AGENT MUST NOTIFY THIS OFFICE WITHIN TEN DAYS OF A PROPOSAL TO REMEDY THE AFOREMENTIONED VIOLATION. IF THE REMEDY IS NOT FORTHCOMING THE TOWN OF KENT WILL CONTRACT WITH A VENDOR TO CORRECT THE VIOLATION AND THE FEE CHARGED WILL BE CHARGED TO THE HOME OWNER OR THE TAX ASSESSMENT LEVIED ON THE SITE IF NOT PAID.**

**YOU ARE THEREFORE DIRECTED AND ORDERED to comply with the law and remedy the conditions above mentioned. Failure to remedy the conditions aforesaid and to comply with the law may constitute an offense punishable by fine or imprisonment or both.**

  
**WILLIAM LOONEY  
ZONING ENFORCEMENT OFFICER  
TOWN OF KENT**





**CODE ENFORCEMENT**  
OF  
TOWN OF KENT, PUTNAM COUNTY, NEW YORK  
845-306-5598

## ORDER TO REMEDY VIOLATION

Location: 35 LARCHMONT ROAD, CARMEL, N.Y. 10512  
Map NO: 33.50-1-44

Date: September 26, 2019

**TO: FINANCIAL FREEDOM, ONEWEST BANK FSB**



Address/Owner/Agent: PO BOX 85400, AUSTIN, TX., 78708.

**PLEASE TAKE NOTICE THERE EXISTS A VIOLATION OF: PROPERTY  
MAINTENANCE FOUND IN SECTION 55A-11 SUB B. (1) (b) OF THE TOWN  
ORDINANCES OF THE TOWN OF KENT.**

The State Building Construction Code  
Zoning Ordinances

Other Applicable Laws, Ordinances or Regulations

  X  

at premises hereinafter described in that:


**OWNER/AGENT HAS FAILED TO KEEP THE EXTERIOR AREA OF SITE  
FREE OF EXCESS WEED/GRASS GROWTH.**

**OWNER/AGENT HAS TEN DAYS FROM THIS DATE OF SERVICE TO  
CONTACT THIS OFFICE WITH A PLAN FOR REMEDIAL CORRECTION OF  
THE STATED VIOLATION.**


**IF THE ABOVE LISTED VIOLATION IS NOT CORRECTED, NOR NOTICE  
RECEIVED, THE TOWN WILL CONTRACT WITH A VENDER TO ADDRESS  
THE ISSUES AND THE FEE THAT THE COMPANY PRESENTS WILL BE  
CHARGED TO THE PROPERTY OWNER. ADDITIONALLY IF THE  
PROPERTY OWNER FAILS TO PAY THE TOWN BILL THE DEBT WILL BE  
ATTACHED TO THE OWNER'S TAX BILL PAYABLE ON THE NEXT  
INSTALLMENT.**

**YOU ARE THEREFORE DIRECTED AND**

**ORDERED** to comply with the law and to remedy the conditions above mentioned within  
the time constraints stated above. Failure to remedy the conditions aforesaid and to comply with the  
law may constitute an offense punishable by fine or imprisonment or both.

  
WILLIAM LOONEY  
ZONING ENFORCEMENT  
OFFICER TOWN OF KENT





09/26/2019



Agreement  
between  
COUNTY OF PUTNAM  
and  
TOWN OF KENT

THIS AGREEMENT, made by and between COUNTY OF PUTNAM, a municipal corporation of the State of New York, having an office and place of business at 40 Gleneida Avenue, Carmel, New York 10512, by and through its Office for Senior Resources (hereinafter referred to as the "COUNTY") and TOWN OF KENT, a municipal subdivision located at 25 Sybil's Crossing, Kent Lakes, New York 10512 (hereinafter referred to as the "TOWN").

WHEREAS, the TOWN is a municipal subdivision in the County of Putnam, with more than 2,000 residents over the age of 60 years; and

WHEREAS, the parties herein recognize a need for linkage to County and other governmental agencies for residents of the TOWN who are over the age of 60 years; and

WHEREAS, the TOWN agrees that an Outreach Worker provided by the COUNTY to the TOWN in order that such linkage be provided to residents of the TOWN who are over the age of 60 years, as more fully described herein, is in the best interests of the TOWN.

NOW, THEREFORE, in consideration of the terms and conditions herein contained, the parties agree as follows:

FIRST: The TOWN agrees to pay the sum of TWO THOUSAND FIVE HUNDRED (\$2,500.00) DOLLARS to the COUNTY for the services of an Outreach Worker, to be furnished by the COUNTY and agreeable to the TOWN, in accordance with the terms and conditions set forth herein.

SECOND: The COUNTY agrees to provide an Outreach Worker to the TOWN, upon the terms and conditions set forth herein:

Duties:

- a) The Outreach Worker shall actively seek out and assist persons residing in the TOWN's geographical area who are over the age of 60 years and have health and/or financial problems and/or are in need of governmental assistance; and
- b) The Outreach Worker shall provide such persons with the guidance and assistance necessary to contact and/or make application for/to obtain services from the proper governmental agencies and other available resources.

Hours:

- a) The Outreach Worker shall be available to guide and assist such persons at a designated area provided by the Office for Senior Resources and provide office hours and home visits, on demand and as deemed necessary to carry out the foregoing services, for a minimum of 12.5 hours per week.

THIRD: The COUNTY agrees that it will at all times faithfully, industriously and to the best of its ability, perform all of the duties that may be required of and from it pursuant to express and implicit terms hereof, to the reasonable satisfaction of the TOWN.

FOURTH: The term of this Agreement will commence January 1, 2020 and will terminate on December 31, 2020, unless otherwise terminated in accordance with paragraphs "SEVENTH" or "EIGHTH" hereof.

FIFTH: As also provided in Paragraph "FIRST" herein, for the services rendered by the Outreach Worker according to Paragraph "SECOND", the TOWN shall submit full

payment in the amount of \$2,500.00 to the COUNTY on or before December 31, 2020. It is understood and agreed that any reduction in payment to the COUNTY by the TOWN may result in reduced hours (including benefits) of the Outreach Worker.

The COUNTY shall be responsible for the payment of the Outreach Worker's salary and benefits, including training expenses and other related costs, over and above the sums payable to the COUNTY by the TOWN under this Agreement. Additionally, to the extent the Outreach Worker is required to use his/her personal vehicle in the performance of his/her duties under the terms of this Agreement, the COUNTY shall reimburse the Outreach Worker for such expenses at the current Internal Revenue Service approved mileage rate.

Any and all requests for payment to be made will be submitted on properly executed claim forms (or invoices) of the COUNTY and paid only after approval by the Director of the Office for Senior Resources or his/her duly authorized representative.

The COUNTY'S files and records shall be kept in accordance with sound accounting practices and each transaction shall be fully documented. Should the TOWN request such files and records, the COUNTY shall provide the files and records to the TOWN, within ten (10) business days of the TOWN'S request.

SIXTH: The work to be performed pursuant to the terms of this Agreement will commence promptly upon assignment by the Director of the Office for Senior Resources or his/her duly authorized representative and will be conducted in the best interest of the parties.

SEVENTH: It is understood and agreed by and between the parties hereto that payment by the TOWN under the terms of this Agreement is a material element of this Agreement. Any failure to provide said payment will be deemed a material breach and this Agreement will

terminate without notice. No substitution of the services will be permitted during the term of this Agreement without the express written consent of the TOWN.

EIGHTH: Except as otherwise provided in paragraph "SEVENTH" herein, the COUNTY, upon ten (10) days' notice to the TOWN, may terminate this Agreement, in whole or in part, when the COUNTY deems it to be in its best interest. In such event, reimbursement to the TOWN for payments already made by the TOWN will be prorated and the COUNTY will be liable only for payment for services already rendered and expenses incurred under this Agreement prior to the effective date of termination.

The TOWN, upon thirty (30) days' notice to the COUNTY, may terminate this Agreement, in whole or in part, when the TOWN deems it to be in its best interest.

In the event of a dispute as to the value of the services rendered to the TOWN by the Outreach Worker prior to the date of termination, it is understood and agreed that the Director of the Office for Senior Resources or his/her duly authorized representative will determine the value of such services rendered by the Outreach Worker. Such reasonable and good faith determination will be accepted by the TOWN as final.

NINTH: Any purported delegation of duties or assignment of rights under this Agreement without the prior express written consent of the COUNTY is void.

TENTH: Where applicable, the COUNTY will comply, at its sole expense, with the provisions of all state and municipal requirements and with all state and federal laws applicable to the COUNTY as an employer of labor or otherwise. The COUNTY will further comply with all rules, regulations and licensing requirements pertaining to its professional status and that of

its employees, partners, associates, subcontractors and others employed to render the services hereunder, as applicable.

ELEVENTH: No discrimination by the COUNTY will be permitted during the performance of this Agreement with respect to race, religion, creed, color, national origin, sex, age, handicap, political affiliation or beliefs.

TWELFTH: TOWN agrees, to the fullest extent permitted by law, to protect, defend, indemnify and hold the County of Putnam and its officers, employees and agents free and harmless from and against any and all losses, penalties, damages, settlements, costs, charges, professional fees or other expenses or liabilities of every kind and character arising out of or relating to any and all claims, liens, demands, obligations, actions, proceedings or causes of action of every kind and character in connection with or arising directly or indirectly out of this Agreement and/or the performance hereof, unless that liability was created by the sole and exclusive negligence of the COUNTY. The TOWN further agrees to investigate, handle, respond to, provide defense for and defend any such claims, etc., at its sole expense, and agrees to bear all costs and expenses related thereto, even if it (claims, etc.) is groundless, false or fraudulent.

COUNTY agrees, to the fullest extent permitted by law, to protect, defend, indemnify and hold the Town of Kent and its officers, employees and agents free and harmless from and against any and all losses, penalties, damages, settlements, costs, charges, professional fees or other expenses or liabilities of every kind and character arising out of or relating to any and all claims, liens, demands, obligations, actions, proceedings or causes of action of every kind and character in connection with or arising directly or indirectly out of this Agreement and/or the

performance hereof, unless that liability was created by the sole and exclusive negligence of the TOWN. The COUNTY further agrees to investigate, handle, respond to, provide defense for and defend any such claims, etc., at its sole expense, and agrees to bear all costs and expenses related thereto, even if it (claims, etc.) is groundless, false or fraudulent.

THIRTEENTH: The failure of the COUNTY to insist, in any one or more instances, upon strict performance of any term or condition herein contained shall not be deemed a waiver or relinquishment for the future of such term of condition, but the same shall remain in full force and effect. No waiver by the COUNTY of any provision hereof shall be implied.

FOURTEENTH: All notices of any nature referred to in this Agreement shall be in writing and hand delivered or sent by registered or certified mail, postage pre-paid, to the respective addresses set forth below or to such other addresses as the respective parties hereto may designate in writing:

To the COUNTY:

COUNTY ATTORNEY  
48 Gleneida Avenue  
Carmel, New York 10512

To the TOWN:

TOWN OF KENT  
25 Sybil's Crossing  
Kent Lakes, New York 10512

All notices shall be effective on the date of mailing.

FIFTEENTH: This Agreement and its attachments constitute the entire Agreement between the parties with respect to the subject matter hereof and shall supersede all previous negotiations, commitments and writings. It will not be released, discharged, changed or modified except by an instrument in writing signed by a duly authorized representative of each of the parties.

SIXTEENTH: This Agreement will be deemed executory only to the extent of the monies available to the COUNTY for the performance of its terms and no liability will be incurred by the COUNTY beyond the monies so available.

SEVENTEENTH: This Agreement will be construed and enforced in accordance with the laws of the State of New York. Any and all disputes and/or legal actions or proceedings arising out of this Agreement shall be venued in Putnam County, New York.

EIGHTEENTH: Unless specifically provided by law, electronic signatures may be used in lieu of a signature affixed by hand. The use of said electronic signatures shall have the same force and effect of law and shall be deemed binding. Moreover, this contract shall not be deemed effective until fully executed by the TOWN, the required COUNTY signatories and the County Executive.



IN WITNESS WHEREOF, the parties have executed this Agreement in Carmel, New York, on the date hereinabove set forth.

\_\_\_\_\_  
Date

TOWN OF KENT  
25 Sybil's Crossing  
Kent Lakes, New York 10512

By: \_\_\_\_\_  
Please Print Name & Title

***ACKNOWLEDGMENT OF TOWN:***

STATE OF NEW YORK                    )  
  ) ss.:  
COUNTY OF PUTNAM                    )

On this \_\_\_\_\_ day of \_\_\_\_\_, 2019 before me personally appeared \_\_\_\_\_ personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that s/he executed the same in his/her capacity and that by his/her signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

\_\_\_\_\_  
Notary Public