

Stamped Building plans requirements

What specific NYS codes are the plans drawn to (list all codes years)
With 2017 NYS supplements

Climate & Geographic design criteria
Table R301.2(1)

Insulation and Fenestration chart - IECC Table 402.1.2 for Zone 5

Res-check or Com-check - printout attached

2015 IECC mandatory provisions

1. R401.3 - Certificate
2. R402.4 - Air Leakage
3. R402.5 - Maximum fenestration - U factor & SHGC
4. R403.1 - Controls
5. R403.1.2 - Heat Pump supplements heat
6. R403.3.2 - Sealing
7. R403.3.3 - Duct Testing
8. R403.3.5 - Building cavities
9. R403.4 - Mechanical Ventilation
10. R403.5.1 - Heated water circulation and Temperature Maint. System
11. R403.6 - Mechanical ventilation
12. R403.7 - Equipment sizing and efficiency rating
13. R403.8 - System serving multiple dwelling units
14. R403.9 - Snow melt and ice system controls
15. R403.10 - Pools and permanent spa energy consumption
16. R403.11 - Portable spas
17. R404.2 - Lighting equipment
18. R404.1.1 - Lighting equipment

Additionally, insulation R- values open / closed cell or batt and/or Insulation and Fenestration
See chart - IECC Table 402.1.2 for Zone 5